

# MAXUS eDELIVER 9 N1



From  
only **£49,167** +VAT\*

\*£950+VAT delivery charge applies to all models.

## FEATURES & SPECIFICATIONS | eDELIVER 9 L2 H2 FWD 77kWh

### Exterior

LED headlights	S	Steel wheel 6.5Jx16	O
LED tail lights	S	Alloy wheel 6.5Jx16	S
Front & rear fog lights	S	Power heated exterior mirrors	S
Single sliding door	S	Power side step*	S
Dual sliding door	O	Removable front tow hook	S
Rear wing doors with 180° hinges	S	Tow-bar pre-wiring with controller	S

### Interior & Comfort

Microfibre leather multifunctional steering wheel	S	LED cargo lights**	S
Anti-glare interior mirror	S	Automatic air conditioning	S
Column-mounted gear selector	S	12.3" touch screen with MP5 & USB & Bluetooth & CarPlay & Android Auto	S
Heated front seats	S	4 speakers	S
LED front reading light	S	DAB	S
Power front windows (one click up & down)	S	Keyless start	S
Automatic wipers	S	2 smart keys	S

### Safety & Security

Tyre pressure monitoring system	S	Rear view camera	S
6 airbags (front,side,curtain) for driver & front passengers	S	360° camera	S
ECall	S	Front & Rear Parking Sensors	S
Safety belt reminder	S		

### Driver Assistance

ESP+EBA+HHC	S	Blind spot detection & door-open warning system	S
EPB	S	Lane change assist	S
Full-speed ACC	S	Speed limit information	S
Automatic emergency braking system	S	Driver monitor system	S
Lane departure warning & lane keeping assist system	S	Adjustable overspeed warning	S

\*When you choose Dual sliding door , Power side step can not be chosen.

\*\*1 light for L2 models, 2 lights for L3 models



FEATURES & SPECIFICATIONS | eDELIVER 9 L2 H2 FWD 77kWh

For conversion			
105Ah 12V battery with battery guard	S	Bodybuilder plug	S

## TECHNICAL SPECIFICATIONS | eDELIVER 9 L2 H2 FWD 77kWh

### Dimensions & Capacities

Number of seats	3	Loadspace width (mm)	1800
Single (nearside) Sliding Door	S	Loadspace height (mm)	1802
Overall length (mm)	5546	Max loadspace width between wheel arches (mm)	1366
Overall width (mm)	2062	Side door width (mm)	1269
Overall height (mm)	2515	Side door height (mm)	1570
Wheel base (mm)	3366	Ground clearance of the front axle (mm)	180
Cargo volume (m³)	9.7	Ground clearance of the rear axle (mm)	223
Loadspace length (mm)	3019	Ground clearance between axles (mm)	196

### Weights & Payload

GVW (kg)	3500	Max axle load: front/rear (kg)	1885/2350
CVW (kg)	2460	GTM (kg)	4250
Payload (kg)	1040	Towing capacity (Braked/Unbraked) (kg)	1500/750
GVW axle load: front/rear (kg)	1660/1840		

### Battery & Charging

Battery capacity (kWh)	77	Battery thermal management & liquid cooling & liquid heating	S
Range WLTP combined (miles)*	171~189	11kw AC charger & EPTO (high voltage power take-off)**	S
Range WLTP city (miles)*	229~253	22kw AC charger & DCDC (low voltage power take-off)**	O
Energy consumption WLTP combined (kWh/62 miles)*	29.1~32.0	Charging cable 11kW A/C 3-phase	S
AC Charging time (5%~100%) hrs	8.5h/11kw (S) 4.5h/22kw (O)	V2L exterior	S
DC Charging time (10%~80%) min	51min/78kw	V2L interior	O

### Power & Driving & Steering

Driving wheel	FWD	Acceleration 0-62mph (sec)	18.3
Rated power/Max power (kW)	75/150	Min turning diameter (m)	13.4±1
Rated torque/Max torque (N.m)	170/330	Approach angle/departure angle (°)	19.0/17.8
Max speed (mph)	62	Tyre	215/75R16
Acceleration 31mph (sec)	6.1		

\*Estimated range & energy consumption under EU WLTP test standard. Actual range & energy consumption varies with conditions such as temperature, operation of air conditioner, driving mode, route conditions, battery capacity loss and loading mass.

\*\*When you choose 22kw AC charger & DCDC, 11kw AC charger & EPTO is not available. The available power of DCDC is 2.5kw. The available power of EPTO is 5.2kw.



## FEATURES & SPECIFICATIONS | eDELIVER 9 L2 H2 FWD 88kWh

Exterior			
LED headlights	S	Steel wheel 6.5Jx16	O
LED tail lights	S	Alloy wheel 6.5Jx16	S
Front & rear fog lights	S	Power heated exterior mirrors	S
Single sliding door	S	Power side step*	S
Dual sliding door	O	Removable front tow hook	S
Rear wing doors with 180° hinges	S	Tow-bar pre-wiring with controller	S

Interior & Comfort			
Microfibre leather multifunctional steering wheel	S	LED cargo lights**	S
Anti-glare interior mirror	S	Automatic air conditioning	S
Column-mounted gear selector	S	12.3" touch screen with MP5 & USB & Bluetooth & CarPlay & Android Auto	S
Heated front seats	S	4 speakers	S
LED front reading light	S	DAB	S
Power front windows (one click up & down)	S	Keyless start	S
Automatic wipers	S	2 smart keys	S

Safety & Security			
Tyre pressure monitoring system	S	Rear view camera	S
6 airbags (front,side,curtain) for driver & front passengers	S	360° camera	S
ECall	S	Front & Rear Parking Sensors	S
Safety belt reminder	S		

Driver Assistance			
ESP+EBA+HHC	S	Blind spot detection & door-open warning system	S
EPB	S	Lane change assist	S
Full-speed ACC	S	Speed limit information	S
Automatic emergency braking system	S	Driver monitor system	S
Lane departure warning & lane keeping assist system	S	Adjustable overspeed warning	S

\*When you choose Dual sliding door , Power side step can not be chosen.

\*\*1 light for L2 models, 2 lights for L3 models



FEATURES & SPECIFICATIONS | eDELIVER 9 L2 H2 FWD 88kWh

For conversion			
105Ah 12V battery with battery guard	S	Bodybuilder plug	S

## TECHNICAL SPECIFICATIONS | eDELIVER 9 L2 H2 FWD 88kWh

### Dimensions & Capacities

Number of seats	3	Loadspace width (mm)	1800
Single (nearside) Sliding Door	S	Loadspace height (mm)	1802
Overall length (mm)	5546	Max loadspace width between wheel arches (mm)	1366
Overall width (mm)	2062	Side door width (mm)	1269
Overall height (mm)	2515	Side door height (mm)	1570
Wheel base (mm)	3366	Ground clearance of the front axle (mm)	180
Cargo volume (m³)	9.7	Ground clearance of the rear axle (mm)	223
Loadspace length (mm)	3019	Ground clearance between axles (mm)	196

### Weights & Payload

GVW (kg)	3500	Max axle load: front/rear (kg)	1885/2350
CVW (kg)	2530	GTM (kg)	4250
Payload (kg)	970	Towing capacity (Braked/Unbraked) (kg)	1500/750
GVW axle load: front/rear (kg)	1660/1840		

### Battery & Charging

Battery capacity (kWh)	88	Battery thermal management & liquid cooling & liquid heating	S
Range WLTP combined (miles)*	196~216	11kw AC charger & EPTO (high voltage power take-off)**	S
Range WLTP city (miles)*	257~284	22kw AC charger & DCDC (low voltage power take-off)**	O
Energy consumption WLTP combined (kWh/62 miles)*	28.3~31.3	Charging cable 11kW A/C 3-phase	S
AC Charging time (5%~100%) hrs	9.3h/11kw (S) 5.2h/22kw (O)	V2L exterior	S
DC Charging time (10%~80%) min	51min/90kw	V2L interior	O

### Power & Driving & Steering

Driving wheel	FWD	Acceleration 0-62mph (sec)	16
Rated power/Max power (kW)	75/150	Min turning diameter (m)	13.4±1
Rated torque/Max torque (N.m)	170/330	Approach angle/departure angle (°)	19.0/17.8
Max speed (mph)	62	Tyre	215/75R16
Acceleration 0-31mph (sec)	6.0		

\*Estimated range & energy consumption under EU WLTP test standard. Actual range & energy consumption varies with conditions such as temperature, operation of air conditioner, driving mode, route conditions, battery capacity loss and loading mass.

\*\*When you choose 22kw AC charger & DCDC, 11kw AC charger & EPTO is not available. The available power of DCDC is 2.5kw. The available power of EPTO is 5.2kw.





## FEATURES & SPECIFICATIONS | eDELIVER 9 L3 H2 FWD 77kWh

Exterior			
LED headlights	S	Alloy wheel 6.5Jx16	S
LED tail lights	S	Power heated exterior mirrors	S
Front & rear fog lights	S	Power side step*	S
Single sliding door	S	Roof rack mounting points	S
Dual sliding door	O	Removable front tow hook	S
Rear wing doors with 253° hinges	S	Tow-bar pre-wiring with controller	S
Steel wheel 6.5Jx16	O		

Interior & Comfort			
Microfibre leather multifunctional steering wheel	S	LED cargo lights**	S
Anti-glare interior mirror	S	Automatic air conditioning	S
Column-mounted gear selector	S	12.3" touch screen with MP5 & USB & Bluetooth & CarPlay & Android Auto	S
Heated front seats	S	4 speakers	S
LED front reading light	S	DAB	S
Power front windows (one click up & down)	S	Keyless start	S
Automatic wipers	S	2 smart keys	S

Safety & Security			
Tyre pressure monitoring system	S	Rear view camera	S
6 airbags (front,side,curtain) for driver & front passengers	S	360° camera	S
ECall	S	Front & Rear Parking Sensors	S
Safety belt reminder	S		

Driver Assistance			
ESP+EBA+HHC	S	Blind spot detection & door-open warning system	S
EPB	S	Lane change assist	S
Full-speed ACC	S	Speed limit information	S
Automatic emergency braking system	S	Driver monitor system	S
Lane departure warning & lane keeping assist system	S	Adjustable overspeed warning	S

\*When you choose Dual sliding door , Power side step can not be chosen.

\*\*1 light for L2 models, 2 lights for L3 models





FEATURES & SPECIFICATIONS | eDELIVER 9 L3 H2 FWD 77kWh

For conversion			
105Ah 12V battery with battery guard	S	Bodybuilder plug	S

## TECHNICAL SPECIFICATIONS | eDELIVER 9 L3 H2 FWD 77kWh

### Dimensions & Capacities

Number of seats	3	Loadspace width (mm)	1800
Single (nearside) Sliding Door	S	Loadspace height (mm)	1802
Overall length (mm)	5940	Max loadspace width between wheel arches (mm)	1366
Overall width (mm)	2062	Side door width (mm)	1269
Overall height (mm)	2515	Side door height (mm)	1570
Wheel base (mm)	3760	Ground clearance of the front axle (mm)	173
Cargo volume (m³)	11	Ground clearance of the rear axle (mm)	228
Loadspace length (mm)	3413	Ground clearance between axles (mm)	190

### Weights & Payload

GVW (kg)	3500	Max axle load: front/rear (kg)	1885/2350
CVW (kg)	2520	GTM (kg)	4250
Payload (kg)	980	Towing capacity (Braked/Unbraked) (kg)	1500/750
GVW axle load: front/rear (kg)	1740/1760		

### Battery & Charging

Battery capacity (kWh)	77	Battery thermal management & liquid cooling & liquid heating	S
Range WLTP combined (miles)*	170~188	11kw AC charger & EPTO (high voltage power take-off)**	S
Range WLTP city (miles)*	222~248	22kw AC charger & DCDC (low voltage power take-off)**	O
Energy consumption WLTP combined (kWh/62 miles)*	29.1~32.1	Charging cable 11kW A/C 3-phase	S
AC Charging time (5%~100%) hrs	8.5h/11kw (S) 4.5h/22kw (O)	V2L exterior	S
DC Charging time (10%~80%) min	51min/78kw	V2L interior	O

### Power & Driving & Steering

Driving wheel	FWD	Acceleration 0-62mph (sec)	18.3
Rated power/Max power (kW)	75/150	Min turning diameter (m)	14.8±1
Rated torque/Max torque (N.m)	170/330	Approach angle/departure angle (°)	18.5/17.9
Max speed (mph)	62	Tyre	215/75R16
Acceleration 0-31mph (sec)	6.1		

\*Estimated range & energy consumption under EU WLTP test standard. Actual range & energy consumption varies with conditions such as temperature, operation of air conditioner, driving mode, route conditions, battery capacity loss and loading mass.

\*\*When you choose 22kw AC charger & DCDC, 11kw AC charger & EPTO is not available. The available power of DCDC is 2.5kw. The available power of EPTO is 5.2kw.



## FEATURES & SPECIFICATIONS | eDELIVER 9 L3 H2 FWD 88kWh

Exterior			
LED headlights	S	Alloy wheel 6.5Jx16	S
LED tail lights	S	Power heated exterior mirrors	S
Front & rear fog lights	S	Power side step*	S
Single sliding door	S	Roof rack mounting points	S
Dual sliding door	O	Removable front tow hook	S
Rear wing doors with 253° hinges	S	Tow-bar pre-wiring with controller	S
Steel wheel 6.5Jx16	O		

Interior & Comfort			
Microfibre leather multifunctional steering wheel	S	LED cargo lights**	S
Anti-glare interior mirror	S	Automatic air conditioning	S
Column-mounted gear selector	S	12.3" touch screen with MP5 & USB & Bluetooth & CarPlay & Android Auto	S
Heated front seats	S	4 speakers	S
LED front reading light	S	DAB	S
Power front windows (one click up & down)	S	Keyless start	S
Automatic wipers	S	2 smart keys	S

Safety & Security			
Tyre pressure monitoring system	S	Rear view camera	S
6 airbags (front,side,curtain) for driver & front passengers	S	360° camera	S
ECall	S	Front & Rear Parking Sensors	S
Safety belt reminder	S		

Driver Assistance			
ESP+EBA+HHC	S	Blind spot detection & door-open warning system	S
EPB	S	Lane change assist	S
Full-speed ACC	S	Speed limit information	S
Automatic emergency braking system	S	Driver monitor system	S
Lane departure warning & lane keeping assist system	S	Adjustable overspeed warning	S

\*When you choose Dual sliding door , Power side step can not be chosen.

\*\*1 light for L2 models, 2 lights for L3 models



FEATURES & SPECIFICATIONS | eDELIVER 9 L3 H2 FWD 88kWh

For conversion			
105Ah 12V battery with battery guard	S	Bodybuilder plug	S

## TECHNICAL SPECIFICATIONS | eDELIVER 9 L3 H2 FWD 88kWh

### Dimensions & Capacities

Number of seats	3	Loadspace width (mm)	1800
Single (nearside) Sliding Door	S	Loadspace height (mm)	1802
Overall length (mm)	5940	Max loadspace width between wheel arches (mm)	1366
Overall width (mm)	2062	Side door width (mm)	1269
Overall height (mm)	2515	Side door height (mm)	1570
Wheel base (mm)	3760	Ground clearance of the front axle (mm)	173
Cargo volume (m³)	11	Ground clearance of the rear axle (mm)	228
Loadspace length (mm)	3413	Ground clearance between axles (mm)	190

### Weights & Payload

GVW (kg)	3500	Max axle load: front/rear (kg)	1885/2350
CVW (kg)	2590	GTM (kg)	4250
Payload (kg)	910	Towing capacity (Braked/Unbraked) (kg)	1500/750
GVW axle load: front/rear (kg)	1740/1760		

### Battery & Charging

Battery capacity (kWh)	88	Battery thermal management & liquid cooling & liquid heating	S
Range WLTP combined (miles)*	194~214	11kw AC charger & EPTO (high voltage power take-off)**	S
Range WLTP city (miles)*	255~282	22kw AC charger & DCDC (low voltage power take-off)**	O
Energy consumption WLTP combined (kWh/62 miles)*	28.7~32.0	Charging cable 11kW A/C 3-phase	S
AC Charging time (5%~100%) hrs	9.3h/11kw (S) 5.2h/22kw (O)	V2L exterior	S
DC Charging time (10%~80%) min	51min/90kw	V2L interior	O

### Power & Driving & Steering

Driving wheel	FWD	Acceleration 0-62mph (sec)	16
Rated power/Max power (kW)	75/150	Min turning diameter (m)	14.8±1
Rated torque/Max torque (N.m)	170/330	Approach angle/departure angle (°)	18.5/17.9
Max speed (mph)	62	Tyre	215/75R16
Acceleration 0-31mph (sec)	6.0		

\*Estimated range & energy consumption under EU WLTP test standard. Actual range & energy consumption varies with conditions such as temperature, operation of air conditioner, driving mode, route conditions, battery capacity loss and loading mass.

\*\*When you choose 22kw AC charger & DCDC, 11kw AC charger & EPTO is not available. The available power of DCDC is 2.5kw. The available power of EPTO is 5.2kw.



## FEATURES & SPECIFICATIONS | eDELIVER 9 L3 H3 FWD 77kWh

Exterior			
LED headlights	S	Steel wheel 6.5Jx16	O
LED tail lights	S	Alloy wheel 6.5Jx16	S
Front & rear fog lights	S	Power heated exterior mirrors	S
Single sliding door	S	Power side step*	S
Dual sliding door	O	Removable front tow hook	S
Rear wing doors with 253° hinges	S	Tow-bar pre-wiring with controller	S
Interior & Comfort			
Microfibre leather multifunctional steering wheel	S	LED cargo lights**	S
Anti-glare interior mirror	S	Automatic air conditioning	S
Column-mounted gear selector	S	12.3" touch screen with MP5 & USB & Bluetooth & CarPlay & Android Auto	S
Heated front seats	S	4 speakers	S
LED front reading light	S	DAB	S
Power front windows (one click up & down)	S	Keyless start	S
Automatic wipers	S	2 smart keys	S
Safety & Security			
Tyre pressure monitoring system	S	Rear view camera	S
6 airbags (front,side,curtain) for driver & front passengers	S	360° camera	S
ECall	S	Front & Rear Parking Sensors	S
Safety belt reminder	S		
Driver Assistance			
ESP+EBA+HHC	S	Blind spot detection & door-open warning system	S
EPB	S	Lane change assist	S
Full-speed ACC	S	Speed limit information	S
Automatic emergency braking system	S	Driver monitor system	S
Lane departure warning & lane keeping assist system	S	Adjustable overspeed warning	S

\*When you choose Dual sliding door , Power side step can not be chosen.

\*\*1 light for L2 models, 2 lights for L3 models



FEATURES & SPECIFICATIONS | eDELIVER 9 L3 H3 FWD 77kWh

For conversion			
105Ah 12V battery with battery guard	S	Bodybuilder plug	S



## TECHNICAL SPECIFICATIONS | eDELIVER 9 L3 H3 FWD 77kWh

### Dimensions & Capacities

Number of seats	3	Loadspace width (mm)	1800
Single (nearside) Sliding Door	S	Loadspace height (mm)	2019
Overall length (mm)	5940	Max loadspace width between wheel arches (mm)	1366
Overall width (mm)	2062	Side door width (mm)	1269
Overall height (mm)	2730	Side door height (mm)	1570
Wheel base (mm)	3760	Ground clearance of the front axle (mm)	173
Cargo volume (m³)	12.3	Ground clearance of the rear axle (mm)	228
Loadspace length (mm)	3413	Ground clearance between axles (mm)	190

### Weights & Payload

GVW (kg)	3500	Max axle load: front/rear (kg)	1885/2350
CVW (kg)	2580	GTM (kg)	4250
Payload (kg)	920	Towing capacity (Braked/Unbraked) (kg)	1500/750
GVW axle load: front/rear (kg)	1750/1750		

### Battery & Charging

Battery capacity (kWh)	77	Battery thermal management & liquid cooling & liquid heating	S
Range WLTP combined (miles)*	166~184	11kw AC charger & EPTO (high voltage power take-off)**	S
Range WLTP city (miles)*	202~225	22kw AC charger & DCDC (low voltage power take-off)**	O
Energy consumption WLTP combined (kWh/62 miles)*	29.3~32.3	Charging cable 11kW A/C 3-phase	S
AC Charging time (5%~100%) hrs	8.5h/11kw (S) 4.5h/22kw (O)	V2L exterior	S
DC Charging time (10%~80%) min	51min/78kw	V2L interior	O

### Power & Driving & Steering

Driving wheel	FWD	Acceleration 0-62mph (sec)	19
Rated power/Max power (kW)	75/150	Min turning diameter (m)	14.8±1
Rated torque/Max torque (N.m)	170/330	Approach angle/departure angle (°)	18.5/17.9
Max speed (mph)	62	Tyre	215/75R16
Acceleration 0-31mph (sec)	6.5		

\*Estimated range & energy consumption under EU WLTP test standard. Actual range & energy consumption varies with conditions such as temperature, operation of air conditioner, driving mode, route conditions, battery capacity loss and loading mass.

\*\*When you choose 22kw AC charger & DCDC, 11kw AC charger & EPTO is not available. The available power of DCDC is 2.5kw. The available power of EPTO is 5.2kw.



## FEATURES & SPECIFICATIONS | eDELIVER 9 L3 H3 FWD 88kWh

### Exterior

LED headlights	S	Steel wheel 6.5Jx16	O
LED tail lights	S	Alloy wheel 6.5Jx16	S
Front & rear fog lights	S	Power heated exterior mirrors	S
Single sliding door	S	Power side step*	S
Dual sliding door	O	Removable front tow hook	S
Rear wing doors with 253° hinges	S	Tow-bar pre-wiring with controller	S

### Interior & Comfort

Microfibre leather multifunctional steering wheel	S	LED cargo lights**	S
Anti-glare interior mirror	S	Automatic air conditioning	S
Column-mounted gear selector	S	12.3" touch screen with MP5 & USB & Bluetooth & CarPlay & Android Auto	S
Heated front seats	S	4 speakers	S
LED front reading light	S	DAB	S
Power front windows (one click up & down)	S	Keyless start	S
Automatic wipers	S	2 smart keys	S

### Safety & Security

Tyre pressure monitoring system	S	Rear view camera	S
6 airbags (front,side,curtain) for driver & front passengers	S	360° camera	S
ECall	S	Front & Rear Parking Sensors	S
Safety belt reminder	S		

### Driver Assistance

ESP+EBA+HHC	S	Blind spot detection & door-open warning system	S
EPB	S	Lane change assist	S
Full-speed ACC	S	Speed limit information	S
Automatic emergency braking system	S	Driver monitor system	S
Lane departure warning & lane keeping assist system	S	Adjustable overspeed warning	S

\*When you choose Dual sliding door , Power side step can not be chosen.

\*\*1 light for L2 models, 2 lights for L3 models



FEATURES & SPECIFICATIONS | eDELIVER 9 L3 H3 FWD 88kWh

For conversion			
105Ah 12V battery with battery guard	S	Bodybuilder plug	S

## TECHNICAL SPECIFICATIONS | eDELIVER 9 L3 H3 FWD 88kWh

### Dimensions & Capacities

Number of seats	3	Loadspace width (mm)	1800
Single (nearside) Sliding Door	S	Loadspace height (mm)	2019
Overall length (mm)	5940	Max loadspace width between wheel arches (mm)	1366
Overall width (mm)	2062	Side door width (mm)	1269
Overall height (mm)	2730	Side door height (mm)	1570
Wheel base (mm)	3760	Ground clearance of the front axle (mm)	173
Cargo volume (m³)	12.3	Ground clearance of the rear axle (mm)	228
Loadspace length (mm)	3413	Ground clearance between axles (mm)	190

### Weights & Payload

GVW (kg)	3500	Max axle load: front/rear (kg)	1885/2350
CVW (kg)	2650	GTM (kg)	4250
Payload (kg)	850	Towing capacity (Braked/Unbraked) (kg)	1400/750
GVW axle load: front/rear (kg)	1750/1750		

### Battery & Charging

Battery capacity (kWh)	88	Battery thermal management & liquid cooling & liquid heating	S
Range WLTP combined (miles)*	191~212	11kw AC charger & EPTO (high voltage power take-off)**	S
Range WLTP city (miles)*	251~280	22kw AC charger & DCDC (low voltage power take-off)**	O
Energy consumption WLTP combined (kWh/62 miles)*	29.4~33.1	Charging cable 11kW A/C 3-phase	S
AC Charging time (5%~100%) hrs	9.3h/11kw (S) 5.2h/22kw (O)	V2L exterior	S
DC Charging time (10%~80%) min	51min/90kw	V2L interior	O

### Power & Driving & Steering

Driving wheel	FWD	Acceleration 0-62mph (sec)	16.5
Rated power/Max power (kW)	75/150	Min turning diameter (m)	14.8±1
Rated torque/Max torque (N.m)	170/330	Approach angle/departure angle (°)	18.5/17.9
Max speed (mph)	62	Tyre	215/75R16
Acceleration 0-31mph (sec)	6.3		

\*Estimated range & energy consumption under EU WLTP test standard. Actual range & energy consumption varies with conditions such as temperature, operation of air conditioner, driving mode, route conditions, battery capacity loss and loading mass.

\*\*When you choose 22kw AC charger & DCDC, 11kw AC charger & EPTO is not available. The available power of DCDC is 2.5kw. The available power of EPTO is 5.2kw.



## FEATURES & SPECIFICATIONS | eDELIVER 9 Double-Cab L3 H2 FWD 77kWh

Exterior			
LED headlights	S	Alloy wheel 6.5Jx16	S
LED tail lights	S	Power heated exterior mirrors	S
Front & rear fog lights	S	Power side step*	S
Single sliding door	S	Removable front tow hook	S
Steel wheel 6.5Jx16	O	Tow-bar pre-wiring with controller	S

Interior & Comfort			
Microfibre leather multifunctional steering wheel	S	LED cargo lights**	S
Anti-glare interior mirror	S	Automatic air conditioning	S
Column-mounted gear selector	S	12.3" touch screen with MP5 & USB & Bluetooth & CarPlay & Android Auto	S
Heated front seats	S	4 speakers	S
LED front reading light	S	DAB	S
Power front windows (one click up & down)	S	Keyless start	S
Automatic wipers	S	2 smart keys	S

Safety & Security			
Tyre pressure monitoring system	S	Rear view camera	S
6 airbags (front,side,curtain) for driver & front passengers	S	360° camera	S
ECall	S	Front & Rear Parking Sensors	S
Safety belt reminder	S		

Driver Assistance			
ESP+EBA+HHC	S	Blind spot detection & door-open warning system	S
EPB	S	Lane change assist	S
Full-speed ACC	S	Speed limit information	S
Automatic emergency braking system	S	Driver monitor system	S
Lane departure warning & lane keeping assist system	S	Adjustable overspeed warning	S

\*When you choose Dual sliding door , Power side step can not be chosen.

\*\*1 light for L2 models, 2 lights for L3 models



FEATURES & SPECIFICATIONS | eDELIVER 9 Double-Cab L3 H2 FWD 77kWh

For conversion			
105Ah 12V battery with battery guard	S	Bodybuilder plug	S

## TECHNICAL SPECIFICATIONS | eDELIVER 9 Double-Cab L3 H2 FWD 77kWh

### Dimensions & Capacities

Number of seats	7	Loadspace width (mm)	1800
Single (nearside) Sliding Door	S	Loadspace height (mm)	1802
Overall length (mm)	5940	Max loadspace width between wheel arches (mm)	1366
Overall width (mm)	2062	Side door width (mm)	1269
Overall height (mm)	2515	Side door height (mm)	1570
Wheel base (mm)	3760	Ground clearance of the front axle (mm)	171
Cargo volume (m³)	7.1	Ground clearance of the rear axle (mm)	230
Loadspace length (mm)	2423	Ground clearance between axles (mm)	189

### Weights & Payload

GVW (kg)	3500	Max axle lead: front/rear (kg)	1885/2350
CVW (kg)	2645	GTM (kg)	4250
Payload (kg)	855	Towing capacity (Braked/Unbraked) (kg)	1400/750
GVW axle load: front/rear (kg)	1760/1740		

### Battery & Charging

Battery capacity (kWh)	77	Battery thermal management & liquid cooling & liquid heating	S
Range WLTP combined (miles)*	167~184	11kw AC charger & EPTO (high voltage power take-off)**	S
Range WLTP city (miles)*	205~226	22kw AC charger & DCDC (low voltage power take-off)**	O
Energy consumption WLTP combined (kWh/62 miles)*	29.3~32.3	Charging cable 11kW A/C 3-phase	S
AC Charging time (5%~100%) hrs	8.5h/11kw (S) 4.5h/22kw (O)	V2L exterior	S
DC Charging time (10%~80%) min	51min/78kw	V2L interior	O

### Power & Driving & Steering

Driving wheel	FWD	Acceleration 0-62mph (sec)	18.3
Rated power/Max power (kW)	75/150	Min turning diameter (m)	14.8±1
Rated torque/Max torque (N.m)	170/330	Approach angle/departure angle (°)	18.2/17.6
Max speed (mph)	62	Tyre	215/75R16
Acceleration 0-31mph (sec)	6.1		

\*Estimated range & energy consumption under EU WLTP test standard. Actual range & energy consumption varies with conditions such as temperature, operation of air conditioner, driving mode, route conditions, battery capacity loss and loading mass.

\*\*When you choose 22kw AC charger & DCDC, 11kw AC charger & EPTO is not available. The available power of DCDC is 2.5kw. The available power of EPTO is 5.2kw.





## FEATURES & SPECIFICATIONS | eDELIVER 9 Double-Cab L3 H3 FWD 77kWh

Exterior			
LED headlights	S	Alloy wheel 6.5Jx16	S
LED tail lights	S	Power heated exterior mirrors	S
Front & rear fog lights	S	Power side step*	S
Single sliding door	S	Removable front tow hook	S
Steel wheel 6.5Jx16	O	Tow-bar pre-wiring with controller	S

Interior & Comfort			
Microfibre leather multifunctional steering wheel	S	LED cargo lights**	S
Anti-glare interior mirror	S	Automatic air conditioning	S
Column-mounted gear selector	S	12.3" touch screen with MP5 & USB & Bluetooth & CarPlay & Android Auto	S
Heated front seats	S	4 speakers	S
LED front reading light	S	DAB	S
Power front windows (one click up & down)	S	Keyless start	S
Automatic wipers	S	2 smart keys	S

Safety & Security			
Tyre pressure monitoring system	S	Rear view camera	S
6 airbags (front,side,curtain) for driver & front passengers	S	360° camera	S
ECall	S	Front & Rear Parking Sensors	S
Safety belt reminder	S		

Driver Assistance			
ESP+EBA+HHC	S	Blind spot detection & door-open warning system	S
EPB	S	Lane change assist	S
Full-speed ACC	S	Speed limit information	S
Automatic emergency braking system	S	Driver monitor system	S
Lane departure warning & lane keeping assist system	S	Adjustable overspeed warning	S

\*When you choose Dual sliding door , Power side step can not be chosen.

\*\*1 light for L2 models, 2 lights for L3 models



FEATURES & SPECIFICATIONS | eDELIVER 9 Double-Cab L3 H3 FWD 77kWh

For conversion			
105Ah 12V battery with battery guard	S	Bodybuilder plug	S

## TECHNICAL SPECIFICATIONS | eDELIVER 9 Double-Cab L3 H3 FWD 77kWh

### Dimensions & Capacities

Number of seats	7	Loadspace width (mm)	1800
Single (nearside) Sliding Door	S	Loadspace height (mm)	2019
Overall length (mm)	5940	Max loadspace width between wheel arches (mm)	1366
Overall width (mm)	2062	Side door width (mm)	1269
Overall height (mm)	2730	Side door height (mm)	1570
Wheel base (mm)	3760	Ground clearance of the front axle (mm)	171
Cargo volume (m³)	7.8	Ground clearance of the rear axle (mm)	230
Loadspace length (mm)	2423	Ground clearance between axles (mm)	189

### Weights & Payload

GVW (kg)	3500	Max axle lead: front/rear (kg)	1885/2350
CVW (kg)	2695	GTM (kg)	4250
Payload (kg)	805	Towing capacity (Braked/Unbraked) (kg)	1400/750
GVW axle load: front/rear (kg)	1765/1735		

### Battery & Charging

Battery capacity (kWh)	77	Battery thermal management & liquid cooling & liquid heating	S
Range WLTP combined (miles)*	164~181	11kw AC charger & EPTO (high voltage power take-off)**	S
Range WLTP city (miles)*	187~205	22kw AC charger & DCDC (low voltage power take-off)**	O
Energy consumption WLTP combined (kWh/62 miles)*	29.4~32.4	Charging cable 11kW A/C 3-phase	S
AC Charging time (5%~100%) hrs	8.5h/11kw (S) 4.5h/22kw (O)	V2L exterior	S
DC Charging time (10%~80%) min	51min/78kw	V2L interior	O

### Power & Driving & Steering

Driving wheel	FWD	Acceleration 0-62mph (sec)	19
Rated power/Max power (kW)	75/150	Min turning diameter (m)	14.8±1
Rated torque/Max torque (N.m)	170/330	Approach angle/departure angle (°)	18.2/17.6
Max speed (mph)	62	Tyre	215/75R16
Acceleration 0-31mph (sec)	6.5		

\*Estimated range & energy consumption under EU WLTP test standard. Actual range & energy consumption varies with conditions such as temperature, operation of air conditioner, driving mode, route conditions, battery capacity loss and loading mass.

\*\*When you choose 22kw AC charger & DCDC, 11kw AC charger & EPTO is not available. The available power of DCDC is 2.5kw. The available power of EPTO is 5.2kw.



## FEATURES & SPECIFICATIONS | eDELIVER 9 Chassis Cab L3 H0 FWD 77kWh

### Exterior

LED headlights	S	Power heated exterior mirrors	O
Front & rear fog lights	S	Removable front tow hook	S
Steel wheel 6.5Jx16	O	Tow-bar pre-wiring	S
Alloy wheel 6.5Jx16	S		

### Interior & Comfort

Microfibre leather multifunctional steering wheel	S	Automatic air conditioning	S
Anti-glare interior mirror	S	12.3" touch screen with MP5 & USB & Bluetooth & CarPlay & Android Auto	S
Column-mounted gear selector	S	4 speakers	S
Heated front seats	S	DAB	S
LED front reading light	S	Keyless start	S
Power front windows (one click up & down)	S	2 smart keys	S
Automatic wipers	S		

### Safety & Security

Tyre pressure monitoring system	S	Safety belt reminder	S
6 airbags (front,side,curtain) for driver & front passengers	S	Front Parking Sensors	S
ECall	S		

### Driver Assistance

ESP+EBA+HHC	S	Lane departure warning & lane keeping assist system	S
EPB	S	Speed limit information	S
Full-speed ACC	S	Driver monitor system	S
Automatic emergency braking system	S	Adjustable overspeed warning	S

FEATURES & SPECIFICATIONS | eDELIVER 9 Chassis Cab L3 H0 FWD 77kWh

For conversion			
105Ah 12V battery with battery guard	S	Bodybuilder plug	S

## TECHNICAL SPECIFICATIONS | eDELIVER 9 Chassis Cab L3 H0 FWD 77kWh

### Dimensions & Capacities

Number of seats	3	Maximum permissible width (mm)	2136
Overall length (mm)	6200	Maximum permissible height (mm)	2960
Overall width (mm)	2052	Ground clearance of the front axle (mm)	183
Overall height (mm)	2310	Ground clearance of the rear axle (mm)	238
Wheel base (mm)	3760	Ground clearance between axles (mm)	200
Maximum permissible length (mm)	6529		

### Weights & Payload

GVW (kg)	3500	Max axle lead: front/rear (kg)	1885/2350
CVW (kg)	2155	GTM (kg)	4250
Payload (kg)	1345	Towing capacity (Braked/Unbraked) (kg)	1500/750
GVW axle load: front/rear (kg)	1660~1740/ 1840~1760		

### Battery & Charging

Battery capacity (kWh)	77	Battery thermal management & liquid cooling & liquid heating	S
Range WLTP combined (miles)*	117~179	11kw AC charger & EPTO (high voltage power take-off)**	S
Range WLTP city (miles)*	181~250	22kw AC charger & DCDC (low voltage power take-off)**	O
Energy consumption WLTP combined (kWh/62 miles)*	29.6~43.5	Charging cable 11kW A/C 3-phase	S
AC Charging time (5%~100%) hrs	8.5h/11kw (S) 4.5h/22kw (O)	V2L exterior	S
DC Charging time (10%~80%) min	47min/100kW		

### Power & Driving & Steering

Driving wheel	FWD	Min turning diameter (m)	14.8±1
Rated power/Max power (kW)	75/150	Approach angle/departure angle (°)	17.9/17.2
Rated torque/Max torque (N.m)	170/330	Tyre	215/75R16
Max speed (mph)	62		

\*Estimated range & energy consumption under EU WLTP test standard. Actual range & energy consumption varies with conditions such as temperature, operation of air conditioner, driving mode, route conditions, battery capacity loss and loading mass.

\*\*When you choose 22kw AC charger & DCDC, 11kw AC charger & EPTO is not available. The available power of DCDC is 2.5kw. The available power of EPTO is 5.2kw.



## FEATURES & SPECIFICATIONS | eDELIVER 9 Chassis Cab L3 H0 FWD 88kWh

### Exterior

LED headlights	S	Power heated exterior mirrors	O
Front & rear fog lights	S	Removable front tow hook	S
Steel wheel 6.5Jx16	O	Tow-bar pre-wiring	S
Alloy wheel 6.5Jx16	S		

### Interior & Comfort

Microfibre leather multifunctional steering wheel	S	Automatic air conditioning	S
Anti-glare interior mirror	S	12.3" touch screen with MP5 & USB & Bluetooth & CarPlay & Android Auto	S
Column-mounted gear selector	S	4 speakers	S
Heated front seats	S	DAB	S
LED front reading light	S	Keyless start	S
Power front windows (one click up & down)	S	2 smart keys	S
Automatic wipers	S		

### Safety & Security

Tyre pressure monitoring system	S	Safety belt reminder	S
6 airbags (front,side,curtain) for driver & front passengers	S	Front Parking Sensors	S
ECall	S		

### Driver Assistance

ESP+EBA+HHC	S	Lane departure warning & lane keeping assist system	S
EPB	S	Speed limit information	S
Full-speed ACC	S	Driver monitor system	S
Automatic emergency braking system	S	Adjustable overspeed warning	S



FEATURES & SPECIFICATIONS | eDELIVER 9 Chassis Cab L3 H0 FWD 88kWh

For conversion			
105Ah 12V battery with battery guard	S	Bodybuilder plug	S

## TECHNICAL SPECIFICATIONS | eDELIVER 9 Chassis Cab L3 H0 FWD 88kWh

### Dimensions & Capacities

Number of seats	3	Maximum permissible width (mm)	2136
Overall length (mm)	6200	Maximum permissible height (mm)	2960
Overall width (mm)	2052	Ground clearance of the front axle (mm)	183
Overall height (mm)	2310	Ground clearance of the rear axle (mm)	238
Wheel base (mm)	3760	Ground clearance between axles (mm)	200
Maximum permissible length (mm)	6529		

### Weights & Payload

GVW (kg)	3500	Max axle lead: front/rear (kg)	1885/2350
CVW (kg)	2215	GTM (kg)	4250
Payload (kg)	1285	Towing capacity (Braked/Unbraked) (kg)	1500/750
GVW axle load: front/rear (kg)	1685~1740/ 1815~1760		

### Battery & Charging

Battery capacity (kWh)	88	Battery thermal management & liquid cooling & liquid heating	S
Range WLTP combined (miles)*	133~211	11kw AC charger & EPTO (high voltage power take-off)**	S
Range WLTP city (miles)*	227~300	22kw AC charger & DCDC (low voltage power take-off)**	O
Energy consumption WLTP combined (kWh/62 miles)*	29.0~42.7	Charging cable 11kW A/C 3-phase	S
AC Charging time (5%~100%) hrs	9.3h/11kw (S) 5.2h/22kw (O)	V2L exterior	S
DC Charging time (10%~80%) min	47min/100kW		

### Power & Driving & Steering

Driving wheel	FWD	Min turning diameter (m)	14.8±1
Rated power/Max power (kW)	75/150	Approach angle/departure angle(°)	17.9/17.2
Rated torque/Max torque (N.m)	170/330	Tyre	215/75R16
Max speed(mph)	62		

\*Estimated range & energy consumption under EU WLTP test standard. Actual range & energy consumption varies with conditions such as temperature, operation of air conditioner, driving mode, route conditions, battery capacity loss and loading mass.

\*\*When you choose 22kw AC charger & DCDC, 11kw AC charger & EPTO is not available. The available power of DCDC is 2.5kw. The available power of EPTO is 5.2kw.



## FEATURES & SPECIFICATIONS | eDELIVER 9 Chassis Cab L4 H0 FWD 77kWh

### Exterior

LED headlights	S	Power heated exterior mirrors	O
Front & rear fog lights	S	Removable front tow hook	S
Steel wheel 6.5Jx16	O	Tow-bar pre-wiring	S
Alloy wheel 6.5Jx16	S		

### Interior & Comfort

Microfibre leather multifunctional steering wheel	S	Automatic air conditioning	S
Anti-glare interior mirror	S	12.3" touch screen with MP5 & USB & Bluetooth & CarPlay & Android Auto	S
Column-mounted gear selector	S	4 speakers	S
Heated front seats	S	DAB	S
LED front reading light	S	Keyless start	S
Power front windows (one click up & down)	S	2 smart keys	S
Automatic wipers	S		

### Safety & Security

Tyre pressure monitoring system	S	Safety belt reminder	S
6 airbags (front,side,curtain) for driver & front passengers	S	Front Parking Sensors	S
ECall	S		

### Driver Assistance

ESP+EBA+HHC	S	Lane departure warning & lane keeping assist system	S
EPB	S	Speed limit information	S
Full-speed ACC	S	Driver monitor system	S
Automatic emergency braking system	S	Adjustable overspeed warning	S

FEATURES & SPECIFICATIONS | eDELIVER 9 Chassis Cab L4 H0 FWD 77kWh

For conversion			
105Ah 12V battery with battery guard	S	Bodybuilder plug	S

## TECHNICAL SPECIFICATIONS | eDELIVER 9 Chassis Cab L4 H0 FWD 77kWh

### Dimensions & Capacities

Number of seats	3	Maximum permissible width (mm)	2136
Overall length (mm)	6680	Maximum permissible height (mm)	2960
Overall width (mm)	2052	Ground clearance of the front axle (mm)	169
Overall height (mm)	2310	Ground clearance of the rear axle (mm)	246
Wheel base (mm)	4048	Ground clearance between axles (mm)	187
Maximum permissible length (mm)	6835		

### Weights & Payload

GVW (kg)	3500	Max axle lead: front/rear (kg)	1885/2350
CVW (kg)	2165	GTM (kg)	4250
Payload (kg)	1335	Towing capacity (Braked/Unbraked) (kg)	1500/750
GVW axle load: front/rear (kg)	1715~1775/ 1785~1725		

### Battery & Charging

Battery capacity (kWh)	77	Battery thermal management & liquid cooling & liquid heating	S
Range WLTP combined (miles)*	116~178	11kw AC charger & EPTO (high voltage power take-off)**	S
Range WLTP city (miles)*	180~250	22kw AC charger & DCDC (low voltage power take-off)**	O
Energy consumption WLTP combined (kWh/62 miles)*	29.7~43.7	Charging cable 11kW A/C 3-phase	S
AC Charging time (5%~100%) hrs	8.5h/11kw (S) 4.5h/22kw (O)	V2L exterior	S
DC Charging time (10%~80%) min	47min/100kW		

### Power & Driving & Steering

Driving wheel	FWD	Min turning diameter (m)	15.8±1
Rated power/Max power (kW)	75/150	Approach angle/departure angle (°)	17.8/15.2
Rated torque/Max torque (N.m)	170/330	Tyre	215/75R16
Max speed (mph)	62		

\*Estimated range & energy consumption under EU WLTP test standard. Actual range & energy consumption varies with conditions such as temperature, operation of air conditioner, driving mode, route conditions, battery capacity loss and loading mass.

\*\*When you choose 22kw AC charger & DCDC, 11kw AC charger & EPTO is not available. The available power of DCDC is 2.5kw. The available power of EPTO is 5.2kw.



## FEATURES & SPECIFICATIONS | eDELIVER 9 Chassis Cab L4 H0 FWD 88kWh

### Exterior

LED headlights	S	Power heated exterior mirrors	O
Front & rear fog lights	S	Removable front tow hook	S
Steel wheel 6.5Jx16	O	Tow-bar pre-wiring	S
Alloy wheel 6.5Jx16	S		

### Interior & Comfort

Microfibre leather multifunctional steering wheel	S	Automatic air conditioner	S
Anti-glare interior mirror	S	12.3" touch screen with MP5 & USB & Bluetooth & CarPlay & Android Auto	S
Column-mounted gear selector	S	4 speakers	S
Heated front seats	S	DAB	S
LED front reading light	S	Keyless start	S
Power front windows (one click up & down)	S	2 smart keys	S
Automatic wipers	S		

### Safety & Security

Tyre pressure monitoring system	S	Safety belt reminder	S
6 airbags (front,side,curtain) for driver & front passengers	S	Front Parking Sensors	S
ECall	S		

### Driver Assistance

ESP+EBA+HHC	S	Lane departure warning & lane keeping assist system	S
EPB	S	Speed limit information	S
Full-speed ACC	S	Driver monitor system	S
Automatic emergency braking system	S	Adjustable overspeed warning	S

FEATURES & SPECIFICATIONS | eDELIVER 9 Chassis Cab L4 H0 FWD 88kWh

For conversion			
105Ah 12V battery with battery guard	S	Bodybuilder plug	S

## TECHNICAL SPECIFICATIONS | eDELIVER 9 Chassis Cab L4 H0 FWD 88kWh

### Dimensions & Capacities

Number of seats	3	Maximum permissible width (mm)	2136
Overall length (mm)	6680	Maximum permissible height (mm)	2960
Overall width (mm)	2052	Ground clearance of the front axle (mm)	169
Overall height (mm)	2310	Ground clearance of the rear axle (mm)	246
Wheel base (mm)	4048	Ground clearance between axles (mm)	187
Maximum permissible length (mm)	6835		

### Weights & Payload

GVW (kg)	3500	Max axle lead: front/rear (kg)	1885/2350
CVW (kg)	2225	GTM (kg)	4250
Payload (kg)	1275	Towing capacity (Braked/Unbraked) (kg)	1500/750
GVW axle load: front/rear (kg)	1735~1800/ 1765~1700		

### Battery & Charging

Battery capacity (kWh)	88	Battery thermal management & liquid cooling & liquid heating	S
Range WLTP combined (miles)*	131~208	11kw AC charger & EPTO (high voltage power take-off)**	S
Range WLTP city (miles)*	226~298	22kw AC charger & DCDC (low voltage power take-off)**	O
Energy consumption WLTP combined (kWh/62 miles)*	29.4~43.0	Charging cable 11kW A/C 3-phase	S
AC Charging time (5%~100%) hrs	9.3h/11kw (S) 5.2h/22kw (O)	V2L exterior	S
DC Charging time (10%~80%) min	47min/100kW		

### Power & Driving & Steering

Driving wheel	FWD	Min turning diameter (m)	15.8±1
Rated power/Max power (kW)	75/150	Approach angle/departure angle (°)	17.8/15.2
Rated torque/Max torque (N.m)	170/330	Tyre	215/75R16
Max speed(mph)	62		

\*Estimated range & energy consumption under EU WLTP test standard. Actual range & energy consumption varies with conditions such as temperature, operation of air conditioner, driving mode, route conditions, battery capacity loss and loading mass.

\*\*When you choose 22kw AC charger & DCDC, 11kw AC charger & EPTO is not available. The available power of DCDC is 2.5kw. The available power of EPTO is 5.2kw.

