

MAXUS eDELIVER 3



From only **€33,950** +VAT & VRT

FEATURES & SPECIFICATIONS | eDELIVER 3 L1 H1 Van 50kW

Exterior			
Halogen headlights	S	Roof rack mounting points	S
Halogen tail lights	S	Removable front tow hook	S
Front fog lights	S	180° Opening Rear Doors (Unglazed)	S
Single sliding door	S	Manual Rear Lift Gate (Unglazed)	O
15-inch alloy wheel	S	Exterior colours-White	S
Power heated exterior mirrors	S	Special colours- Metal Black or Warm Argent	O

Interior & Comfort			
Leather Multi-functional Steering wheel	S	Automatic Air Conditioning	S
Shift ASM-Electronic Knob	S	10.25" touch screen with MP5 & USB & Bluetooth & CarPlay & Android Auto & DAB	S
Heated front seats	S	2 speakers	S
LED front reading light	S	DAB	S
Power front windows (one click up & down)	S	2 smart keys	S
LED cargo lights	S		S

Safety & Security			
Tyre pressure monitoring system	S	Safety belt reminder	S
2 airbags (front) for driver & front passenger	S	Rear view camera	S
2 airbags (side) for driver & front passenger	O	Rear radar	S
ECall	S		

Driver Assistance			
ESP+EBA+HHC	S	LDW (Lane departure warning) & LKA (lane keeping assist system)	S
EPP	S	SLIF (Speed Limit Information Function)	S
AEBS (Automatic emergency braking system)	S	DMS (Driver monitor system)	S

TECHNICAL SPECIFICATIONS | eDELIVER 3 L1 H1 Van 50kW

Dimensions & Capacities

Number of seats	2	Loadspace length (mm)	2180
Sliding door	Single	Loadspace width (mm)	1665
Overall length (mm)	4555	Loadspace height (mm)	1330
Overall width (mm)	1780	Max loadspace width between wheel arches (mm)	1220
Overall height (mm)	1900	Side door width (mm)	710
Wheel base (mm)	2910	Side door height (mm)	1270
Cargo volume (m³)	4.8	Ground clearance (mm)	144

Weights & Payload

VW(kg)	2660	Max axle load: front/rear(kg)	1250/1460
CVW(kg)**	1615	GTM (kg)	2750
Payload (GVW-CVW(kg))	1045	Towing capacity (Braked/Unbraked) (kg)	1030/750

Battery & Charging

Battery capacity (kWh)	50	Battery thermal management & liquid cooling & liquid heating	S
Range WLTC combined (km)*	227	11kw AC charger & EPTO (high voltage power take-off)	S
Range WLTC city (km)*	322	Charging Cable (13amp plug)	S
Energy consumption WLTC combined (kWh/100km)*	23.7	Charging Cable (7kW A/C)	S
AC Charging time (5%~100%) (h)/Charging power (kW) Three-Phase***	5.6h/11kw	V2L exterior function (via charging socket, additional cable required)	S
DC Charging time (5%~80%) (h)/Charging power (kW)***	45min/57kw		

Power & Driving

Driving wheel	FWD	Acceleration 0-100km/h (sec)	8.85
Rated power/Max power (kW)	50/118	Min turning diameter (m)	11.74
Rated torque/Max torque (N.m)	100/225	Tyre	185/65R15C
Max speed (km/h)	120		

*Based on full charge. Estimated range & energy consumption using Worldwide Harmonised Light Vehicle Test Procedure (WLTP). Actual range & energy consumption varies with conditions such as temperature, using of air conditioner, driving mode and behaviours, route profile, vehicle maintenance, and battery age and condition.

**It is the weight of a standard-specification base vehicle (different series will have different kerb masses) without the driver (75 kg), crew or cargo.

***Charge power can decrease with increasing state of charge. Actual charge times and charge speeds can vary based on different factors (e.g. temperature, vehicle maintenance, battery age and condition, used charging infrastructure).



FEATURES & SPECIFICATIONS | eDELIVER 3 L2 H0 Cab 50kW

Exterior

Halogen headlights	S	Power heated exterior mirrors (Widen)	O
Front fog lights	S	Removable front tow hook	S
15-inch alloy wheel	S	Exterior colours-White	S
Power heated exterior mirrors	S	Special colours- Metal Black or Warm Argent	O

Interior & Comfort

Leather Multi-functional Steering wheel	S	Automatic Air Conditioning	S
Shift ASM-Electronic Knob	S	10.25" touch screen with MP5 & USB & Bluetooth & CarPlay & Android Auto &DAB	S
Heated front seats	S	2 speakers	S
LED front reading light	S	DAB	S
Power front windows (one click up & down)	S	2 smart keys	S

Safety & Security

Tyre pressure monitoring system	S	Safety belt reminder	S
2 airbags (front) for driver & front passenger	S	Rear view camera	S
2 airbags (side) for driver & front passenger	O	Rear radar	S
ECall	S		

Driver Assistance

ESP+EBA+HHC	S	LDW (Lane departure warning) & LKA (lane keeping assist system)	S
EPP	S	SLIF (Speed Limit Information Function)	S
AEBS (Automatic emergency braking system)	S	DMS (Driver monitor system)	S

TECHNICAL SPECIFICATIONS | eDELIVER 3 L2 H0 Cab 50kW

Dimensions & Capacities

Number of seats	2	Maximum permissible length (mm)	5156
Overall length (mm)	5090	Maximum permissible width (mm)	1810
Overall width (mm)	1780	Maximum permissible height (mm)	2370
Overall height (mm)	1885	Ground clearance (mm)	140
Wheel base (mm)	3285		

Weights & Payload

VW(kg)	2920	Max axle load: front/rear(kg)	1460/1460
CVW(kg)**	1515	GTM (kg)	3100
Payload (GVW-CVW(kg))	1405	Towing capacity (Braked/Unbraked) (kg)	750/750

Battery & Charging

Battery capacity (kWh)	50	DC Charging time (5%~80%) (h)/Charging power (kw)***	45min/57kw
Range WLTC combined (km)*	190~240	Battery thermal management & liquid cooling & liquid heating	S
Range WLTC city (km)*	265~327	11kw AC charger & EPTO (high voltage power take-off)	S
Energy consumption WLTC combined (kWh/100km)*	23~29	Charging Cable (13amp plug)	S
AC Charging time (5%~100%) (h)/Charging power (kW) Three-Phase***	5.6h/11KW	Charging Cable (7kW A/C)	S

Power & Driving

Driving wheel	FWD	Max speed(mph)	90
Rated power/Max power (kW)	50/118	Min turning diameter (m)	13.06±1
Rated torque/Max torque (N.m)	100/225	Tyre	185/65R15C

*Based on full charge. Estimated range & energy consumption using Worldwide Harmonised Light Vehicle Test Procedure (WLTP). Actual range & energy consumption varies with conditions such as temperature, using of air conditioner, driving mode and behaviours, route profile, vehicle maintenance, and battery age and condition.

**It is the weight of a standard-specification base vehicle (different series will have different kerb masses) without the driver (75 kg), crew or cargo.

***Charge power can decrease with increasing state of charge. Actual charge times and charge speeds can vary based on different factors (e.g. temperature, vehicle maintenance, battery age and condition, used charging infrastructure).

