

MAXUS eDELIVER 5



From
only **£34,000**+VAT*

*£950+VAT delivery charge applies to all models.

FEATURES & SPECIFICATIONS | eDELIVER 5 L1 H1 Van 64kWh

Exterior			
LED headlights	S	Alloy wheel 6.5Jx16	S
Halogen tail lights	S	Power heated exterior mirrors	S
Rear fog lights	S	Removable front tow hook	S
Dual Sliding Side Doors	S	Exterior paint: Warm White	S
Rear wing doors with 180° hinges	S	Exterior paint (metallic): Cement Ash, Metal Black	O
Rear wing doors with 260° hinges	O		

Interior & Comfort			
Multifunctional steering wheel	S	Manual air conditioning	S
Manual anti-glare interior mirror	S	12.3" touch screen with MP5 & USB & Bluetooth & Wireless CarPlay & Android Auto & DAB	S
Column-mounted shifter	S	12V power outlet	S
Heated front seats (*driver and outside passenger seats heated only)	S	2 speakers	S
LED front reading light	S	Keyless start	S
Power front windows	S	2 smart keys	S
LED cargo lights	S	IOV (Internet of Vehicle)	O

Safety & Security			
Tyre pressure monitoring system	S	Safety belt reminder	S
ABS+EBD+ESC	S	360° camera	S
Front and Side Airbags for Driver & front passengers (*no side airbag with twin passenger seat)	S	Rear parking sensor	S
ECall	S		

Driver Assistance			
FCW (Forward Collision Warning) & AEB (Automatic Emergency Braking)	S	ELK (Emergency Lane Keeping)	S
ACC (Adaptive Cruise Control)	S	SLIF (Speed Limit Information Function)	S
LDW (Lane Departure Warning)	S	IHC (Intelligent High beam Control)	S
LKA (Lane Keep Assist)	S	DSM (Driver State Monitoring)	S

TECHNICAL SPECIFICATIONS | eDELIVER 5 L1 H1 Van 64kWh

Dimensions & Capacities

Seating layout: 3 seats	S	Loadspace width (mm)	1704
Seating layout: 2 seats	O	Loadspace height (mm)	1455
Side door	Dual	Max loadspace width between wheel arches (mm)	1250
Overall length (mm)	4800	Side door width (mm)	873
Overall width (mm)	1874	Side door height (mm)	1243
Overall height (mm)	1960	Ground clearance of the front axle (mm)	159
Wheel base (mm)	3100	Ground clearance of the rear axle (mm)	148
Cargo volume (m³)	6.6	Ground clearance between axles (mm)	146
Loadspace length (mm)	2654		

Weights & Payload

GVW (kg)	3050	Max axle load: front/rear (kg)	1290/1800
CVW (kg)	1850	GTM (kg)	4550
Payload (kg)	1200	Towing capacity (Braked/Unbraked) (kg)	1500/750
GVW axle load: front/rear (kg)	1287/1763		

Battery & Charging

Battery capacity (kWh)	64	DC Charging time (20%~80%) (h)/Charging power (kW)	36min/70kW
Range WLTP combined (miles)*	208	Battery thermal management & liquid cooling & liquid heating	S
Range WLTP city (miles)*	304	AC Charging Cable	S
Energy consumption WLTP combined (kWh/62miles)*	21	V2L (Exterior via Charging Socket)	S
AC Charging time (20%~80%) (h)/Charging power (kW) Three-Phase	4h/11kW(S)		

Power & Driving & Steering

Driving wheel	FWD	Acceleration 0-31mph (sec)	4.9
EPS (Electric Power Steering)	S	Acceleration 0-62mph (sec)	10.7
Max power (kW)	120	Min turning diameter (m)	11.5
Max torque (N.m)	240	Approach angle/departure angle(°)	25.5/20.8
Max speed (mph)	75	Tyre	195/65 R16C

*Estimated range & energy consumption under EU WLTP test standard. Actual range & energy consumption varies with conditions such as temperature, operation of air conditioner, driving mode, route conditions, battery capacity loss and loading mass.



FEATURES & SPECIFICATIONS | eDELIVER 5 L1 H2 Van 64kWh

Exterior			
LED headlights	S	Alloy wheel 6.5Jx16	S
Halogen tail lights	S	Power heated exterior mirrors	S
Rear fog lights	S	Removable front tow hook	S
Dual Sliding Side Doors	S	Exterior paint: Warm White	S
Rear wing doors with 180° hinges	S	Exterior paint (metallic): Cement Ash, Metal Black	O
Rear wing doors with 260° hinges	O		

Interior & Comfort			
Multifunctional steering wheel	S	Manual air conditioning	S
Manual anti-glare interior mirror	S	12.3" touch screen with MP5 & USB & Bluetooth & Wireless CarPlay & Android Auto & DAB	S
Column-mounted shifter	S	12V power outlet	S
Heated front seats (*driver and outside passenger seats heated only)	S	2 speakers	S
LED front reading light	S	Keyless start	S
Power front windows	S	2 smart keys	S
LED cargo lights	S	IOV (Internet of vehicle)	O

Safety & Security			
Tyre pressure monitoring system	S	Safety belt reminder	S
ABS+EBD+ESC	S	360° camera	S
Front and Side Airbags for Driver & front passengers (*no side airbag with twin passenger seat)	S	Rear parking sensor	S
ECall	S		

Driver Assistance			
FCW (Forward Collision Warning) & AEB (Automatic Emergency Braking)	S	ELK (Emergency Lane Keeping)	S
ACC (Adaptive Cruise Control)	S	SLIF (Speed Limit Information Function)	S
LDW (Lane Departure Warning)	S	IHC (Intelligent High beam Control)	S
LKA (Lane Keep Assist)	S	DSM (Driver State Monitoring)	S

TECHNICAL SPECIFICATIONS | eDELIVER 5 L1 H2 Van 64kWh

Dimensions & Capacities

Seating layout: 3 seats	S	Loadspace width (mm)	1704
Seating layout: 2 seats	O	Loadspace height (mm)	1675
Side door	Dual	Max loadspace width between wheel arches(mm)	1250
Overall length (mm)	4800	Side door width(mm)	873
Overall width (mm)	1874	Side door height(mm)	1243
Overall height (mm)	2180	Ground clearance of the front axle (mm)	159
Wheel base (mm)	3100	Ground clearance of the rear axle (mm)	148
Cargo volume (m³)	7.6	Ground clearance between axles (mm)	146
Loadspace length (mm)	2654		

Weights & Payload

GVW (kg)	3050	Max axle lead: front/rear (kg)	1290/1800
CVW (kg)	1850	GTM (kg)	4550
Payload (kg)	1200	Towing capacity (Braked/Unbraked) (kg)	1500/750
GVW axle load: front/rear(kg)	1287/1763		

Battery & Charging

Battery capacity (kWh)	64	DC Charging time (20%~80%) (h)/Charging power (kW)	36min/70kW
Range WLTP combined (miles)*	190	Battery thermal management & liquid cooling & liquid heating	S
Range WLTP city (miles)*	290	AC Charging Cable	S
Energy consumption WLTP combined (kWh/62miles)*	23.1	V2L (Exterior via Charging Socket)	S
AC Charging time (20%~80%) (h)/Charging power (kW) Three-Phase	4h/11kW(S)		

Power & Driving & Steering

Driving wheel	FWD	Acceleration 0-31mph (sec)	4.9
EPS (Electric Power Steering)	S	Acceleration 0-62mph (sec)	10.7
Max power (kW)	120	Min turning diameter (m)	11.5
Max torque (N.m)	240	Approach angle/departure angle (°)	25.1/20.8
Max speed (mph)	75	Tyre	195/65 R16C

*Estimated range & energy consumption under EU WLTP test standard. Actual range & energy consumption varies with conditions such as temperature, operation of air conditioner, driving mode, route conditions, battery capacity loss and loading mass.



FEATURES & SPECIFICATIONS | eDELIVER 5 L2 H1 Van 64kWh

Exterior			
LED headlights	S	Alloy wheel 6.5Jx16	S
Halogen tail lights	S	Power heated exterior mirrors	S
Rear fog lights	S	Removable front tow hook	S
Dual Sliding Side Doors	S	Exterior paint: Warm White	S
Rear wing doors with 180° hinges	S	Exterior paint (metallic): Cement Ash, Metal Black	O
Rear wing doors with 260° hinges	O		

Interior & Comfort			
Multifunctional steering wheel	S	Manual air conditioning	S
Manual anti-glare interior mirror	S	12.3" touch screen with MP5 & USB & Bluetooth & Wireless CarPlay & Android Auto & DAB	S
Column-mounted shifter	S	12V power outlet	S
Heated front seats (*driver and outside passenger seats heated only)	S	2 speakers	S
LED front reading light	S	Keyless start	S
Power front windows	S	2 smart keys	S
LED cargo lights	S	IOV (Internet of Vehicle)	O

Safety & Security			
Tyre pressure monitoring system	S	Safety belt reminder	S
ABS+EBD+ESC	S	360° camera	S
Front and Side Airbags for Driver & front passengers (*no side airbag with twin passenger seat)	S	Rear parking sensor	S
ECall	S		

Driver Assistance			
FCW (Forward Collision Warning) & AEB (Automatic Emergency Braking)	S	ELK (Emergency Lane Keeping)	S
ACC (Adaptive Cruise Control)	S	SLIF (Speed Limit Information Function)	S
LDW (Lane Departure Warning)	S	IHC (Intelligent High beam Control)	S
LKA (Lane Keep Assist)	S	DSM (Driver State Monitoring)	S

TECHNICAL SPECIFICATIONS | eDELIVER 5 L2 H1 Van 64kWh

Dimensions & Capacities

Seating layout: 3 seats	S	Loadspace width (mm)	1704
Seating layout: 2 seats	O	Loadspace height (mm)	1455
Side door	Dual	Max loadspace width between wheel arches(mm)	1250
Overall length (mm)	5250	Side door width(mm)	873
Overall width (mm)	1874	Side door height(mm)	1243
Overall height (mm)	1960	Ground clearance of the front axle (mm)	148
Wheel base (mm)	3450	Ground clearance of the rear axle (mm)	142
Cargo volume (m³)	7.5	Ground clearance between axles (mm)	145
Loadspace length (mm)	3042		

Weights & Payload

GVW (kg)	3195	GVW axle load: front/rear(kg) (3S)	1343(3S)/1852(3S)
CVW (kg)	1930	Max axle load: front/rear(kg)	1450/1800
Payload (kg)	1265	GTM (kg)	4695
GVW axle load: front/rear(kg) (2S)	1297(2S)/1853(2S)	Towing capacity (Braked/Unbraked) (kg)	1500/750

Battery & Charging

Battery capacity (kWh)	64	DC Charging time (20%~80%) (h)/ Charging power (kW)	36min/70kW
Range WLTP combined (miles)*	199	Battery thermal management & liquid cooling & liquid heating	S
Range WLTP city (miles)*	282	AC Charging Cable	S
Energy consumption WLTP combined (kWh/62miles)*	22.5	V2L (through charging port, w/o discharging gun)	O
AC Charging time (20%~80%) (h)/Charging power (kW) Three-Phase	4h/11kW(S)		

Power & Driving & Steering

Driving wheel	FWD	Acceleration 0-62mph (sec)	10.9
EPS (Electric Power Steering)	S	Min turning diameter (m)	12.8
Max power (kW)	120	Approach angle/departure angle (CVW) (°)	25.0/19.6
Max torque (N.m)	240	Approach angle/departure angle (GVW) (°)	21.1/16.8
Max speed (mph)	75	Tyre & Spare Tyre	195/65 R16C
Acceleration 0-31mph (sec)	5.1		

*Estimated range & energy consumption under EU WLTP test standard. Actual range & energy consumption varies with conditions such as temperature, operation of air conditioner, driving mode, route conditions, battery capacity loss and loading mass.



FEATURES & SPECIFICATIONS | eDELIVER 5 L2 H2 Van 64kWh

Exterior			
LED headlights	S	Alloy wheel 6.5Jx16	S
Halogen tail lights	S	Power heated exterior mirrors	S
Rear fog lights	S	Removable front tow hook	S
Dual Sliding Side Doors	S	Exterior paint: Warm White	S
Rear wing doors with 180° hinges	S	Exterior paint (metallic): Cement Ash, Metal Black	O
Rear wing doors with 260° hinges	O		

Interior & Comfort			
Multifunctional steering wheel	S	Manual air conditioning	S
Manual anti-glare interior mirror	S	12.3" touch screen with MP5 & USB & Bluetooth & Wireless CarPlay & Android Auto & DAB	S
Column-mounted shifter	S	12V power outlet	S
Heated front seats (*driver and outside passenger seats heated only)	S	2 speakers	S
LED front reading light	S	Keyless start	S
Power front windows	S	2 smart keys	S
LED cargo lights	S	IOV (Internet of Vehicle)	O

Safety & Security			
Tyre pressure monitoring system	S	Safety belt reminder	S
ABS+EBD+ESC	S	360° camera	S
Front and Side Airbags for Driver & front passengers (*no side airbag with twin passenger seat)	S	Rear parking sensor	S
ECall	S		

Driver Assistance			
FCW (Forward Collision Warning) & AEB (Automatic Emergency Braking)	S	ELK (Emergency Lane Keeping)	S
ACC (Adaptive Cruise Control)	S	SLIF (Speed Limit Information Function)	S
LDW (Lane Departure Warning)	S	IHC (Intelligent High beam Control)	S
LKA (Lane Keep Assist)	S	DSM (Driver State Monitoring)	S

TECHNICAL SPECIFICATIONS | eDELIVER 5 L2 H2 Van 64kWh

Dimensions & Capacities

Seating layout: 3 seats	S	Loadspace width (mm)	1704
Seating layout: 2 seats	O	Loadspace height (mm)	1675
Side door	Dual	Max loadspace width between wheel arches(mm)	1250
Overall length (mm)	5250	Side door width (mm)	873
Overall width (mm)	1874	Side door height (mm)	1243
Overall height (mm)	2180	Ground clearance of the front axle (mm)	148
Wheel base (mm)	3450	Ground clearance of the rear axle (mm)	142
Cargo volume (m³)	8.7	Ground clearance between axles (mm)	145
Loadspace length (mm)	3042		

Weights & Payload

GVW (kg)	3195	GVW axle load: front/rear(kg) (3S)	1343(3S)/1852(3S)
CVW (kg)	1930	Max axle load: front/rear(kg)	1450/1800
Payload (kg)	1265	GTM (kg)	4695
GVW axle load: front/rear(kg) (2S)	1297(2S)/1853(2S)	Towing capacity (Braked/Unbraked) (kg)	1500/750

Battery & Charging

Battery capacity (kWh)	64	DC Charging time (20%~80%) (h)/ Charging power (kW)	36min/70kW
Range WLTP combined (miles)*	187	Battery thermal management & liquid cooling & liquid heating	S
Range WLTP city (miles)*	271	AC Charging Cable	S
Energy consumption WLTP combined (kWh/62miles)*	23.9	V2L (through charging port, w/o discharging gun)	O
AC Charging time (20%~80%) (h)/Charging power (kW) Three-Phase	4h/11kW(S)		

Power & Driving & Steering

Driving wheel	FWD	Acceleration 0-62mph (sec)	10.9
EPS (Electric Power Steering)	S	Min turning diameter (m)	12.8
Max power (kW)	120	Approach angle/departure angle (CVW) (°)	24.8/19.6
Max torque (N.m)	240	Approach angle/departure angle (GVW) (°)	21.1/16.8
Max speed (mph)	75	Tyre & Spare Tyre	195/65 R16C
Acceleration 0-31mph (sec)	5.1		

*Estimated range & energy consumption under EU WLTP test standard. Actual range & energy consumption varies with conditions such as temperature, operation of air conditioner, driving mode, route conditions, battery capacity loss and loading mass.



FEATURES & SPECIFICATIONS | eDELIVER 5 L1 H1 Van 64kWh Double-Cab

Exterior			
LED headlights	S	Alloy wheel 6.5Jx16	S
Halogen tail lights	S	Power heated exterior mirrors	S
Rear fog lights	S	Removable front tow hook	S
Dual Sliding Side Doors	S	Exterior paint: Warm White	S
Rear wing doors with 180° hinges	S	Exterior paint (metallic): Cement Ash, Metal Black	O
Rear wing doors with 260° hinges	O		

Interior & Comfort			
Multifunctional steering wheel	S	Manual air conditioning	S
Manual anti-glare interior mirror	S	12.3" touch screen with MP5 & USB & Bluetooth & Wireless CarPlay & Android Auto & DAB	S
Column-mounted shifter	S	12V power outlet	S
Heated front seats (*driver and outside passenger seats heated only)	S	2 speakers	S
LED front reading light	S	Keyless start	S
Power front windows	S	2 smart keys	S
LED cargo lights	S	IOV (Internet of Vehicle)	O

Safety & Security			
Tyre pressure monitoring system	S	Safety belt reminder	S
ABS+EBD+ESC	S	360° camera	S
Front and Side Airbags for Driver & front passengers (*no side airbag with twin passenger seat)	S	Rear parking sensor	S
ECall	S		

Driver Assistance			
FCW (Forward Collision Warning) & AEB (Automatic Emergency Braking)	S	ELK (Emergency Lane Keeping)	S
ACC (Adaptive Cruise Control)	S	SLIF (Speed Limit Information Function)	S
LDW (Lane Departure Warning)	S	IHC (Intelligent High beam Control)	S
LKA (Lane Keep Assist)	S	DSM (Driver State Monitoring)	S

TECHNICAL SPECIFICATIONS | eDELIVER 5 L1 H1 Van 64kWh Double-Cab

Dimensions & Capacities

Seating layout: 6 seats	S	Loadspace width (mm)	1704
Seating layout: 5 seats	O	Loadspace height (mm)	1455
Side door	Dual	Max loadspace width between wheel arches (mm)	1250
Overall length (mm)	4800	Side door width (mm)	873
Overall width (mm)	1874	Side door height (mm)	1243
Overall height (mm)	1960	Ground clearance of the front axle (mm)	172 (draft)
Wheel base (mm)	3100	Ground clearance of the rear axle (mm)	147 (draft)
Cargo volume (m³)	3.8	Ground clearance between axles (mm)	163 (draft)
Loadspace length (mm)	1520		

Weights & Payload

GVW (kg)	3010	Max axle load: front/rear (kg)	1290/1800
CVW (kg)	1950	GTM (kg)	4510
Payload (kg)	1060	Towing capacity (Braked/Unbraked) (kg)	1500/750
GVW axle load: front/rear (kg)	1221/1789		

Battery & Charging

Battery capacity (kWh)	64	Battery thermal management & liquid cooling & liquid heating	S
AC Charging time (20%~80%) (h)/Charging power (kW) Three-Phase	4h/11kW(S)	AC Charging Cable	S
DC Charging time (20%~80%) (h)/Charging power (kW)	36min/70kW	V2L (Exterior via Charging Socket)	S

Power & Driving & Steering

Driving wheel	FWD	Acceleration 0-31mph (sec)	4.9
EPS (Electric Power Steering)	S	Acceleration 0-62mph (sec)	10.9
Max power (kW)	120	Min turning diameter (m)	11.5
Max torque (N.m)	240	Tyre	195/65 R16C
Max speed (mph)	75		

*Estimated range & energy consumption under EU WLTP test standard. Actual range & energy consumption varies with conditions such as temperature, operation of air conditioner, driving mode, route conditions, battery capacity loss and loading mass.



FEATURES & SPECIFICATIONS | eDELIVER 5 L2 H1 Van 64kWh Double-Cab

Exterior			
LED headlights	S	Alloy wheel 6.5Jx16	S
Halogen tail lights	S	Power heated exterior mirrors	S
Rear fog lights	S	Removable front tow hook	S
Dual Sliding Side Doors	S	Exterior paint: Warm White	S
Rear wing doors with 180° hinges	S	Exterior paint (metallic): Cement Ash, Metal Black	O
Rear wing doors with 260° hinges	O		

Interior & Comfort			
Multifunctional steering wheel	S	Manual air conditioning	S
Manual anti-glare interior mirror	S	12.3" touch screen with MP5 & USB & Bluetooth & Wireless CarPlay & Android Auto & DAB	S
Column-mounted shifter	S	12V power outlet	S
Heated front seats (*driver and outside passenger seats heated only)	S	2 speakers	S
LED front reading light	S	Keyless start	S
Power front windows	S	2 smart keys	S
LED cargo lights	S	IOV (Internet of Vehicle)	O

Safety & Security			
Tyre pressure monitoring system	S	Safety belt reminder	S
ABS+EBD+ESC	S	360° camera	S
Front and Side Airbags for Driver & front passengers (*no side airbag with twin passenger seat)	S	Rear parking sensor	S
ECall	S		

Driver Assistance			
FCW (Forward Collision Warning) & AEB (Automatic Emergency Braking)	S	ELK (Emergency Lane Keeping)	S
ACC (Adaptive Cruise Control)	S	SLIF (Speed Limit Information Function)	S
LDW (Lane Departure Warning)	S	IHC (Intelligent High beam Control)	S
LKA (Lane Keep Assist)	S	DSM (Driver State Monitoring)	S

TECHNICAL SPECIFICATIONS | eDELIVER 5 L2 H1 Van 64kWh Double-Cab

Dimensions & Capacities

Seating layout: 6 seats	S	Loadspace width (mm)	1704
Seating layout: 5 seats	O	Loadspace height (mm)	1455
Side door	Dual	Max loadspace width between wheel arches(mm)	1250
Overall length (mm)	5250	Side door width(mm)	873
Overall width (mm)	1874	Side door height(mm)	1243
Overall height (mm)	1960	Ground clearance of the front axle (mm)	160 (draft)
Wheel base (mm)	3450	Ground clearance of the rear axle (mm)	146 (draft)
Cargo volume (m³)	4.8	Ground clearance between axles (mm)	153 (draft)
Loadspace length (mm)	1940		

Weights & Payload

GVW (kg)	3110	GVW axle load: front/rear(kg) (6S)	1362/1748
CVW (kg)	2010	Max axle lead: front/rear(kg)	1450/1800
Payload (kg)	1100	GTM (kg)	4610
GVW axle load: front/rear(kg) (5S)	1314/1796	Towing capacity (Braked/Unbraked) (kg)	1500/750

Battery & Charging

Battery capacity (kWh)	64	Battery thermal management & liquid cooling & liquid heating	S
AC Charging time (20%~80%) (h)/Charging power (kW) Three-Phase	4h/11kW(S)	AC Charging Cable	S
DC Charging time (20%~80%) (h)/Charging power (kW)	36min/70kW	V2L (through charging port, w/o discharging gun)	O

Power & Driving & Steering

Driving wheel	FWD	Acceleration 0-31mph (sec)	5.0
EPS (Electric Power Steering)	S	Acceleration 0-62mph (sec)	11.0
Max power (kW)	120	Min turning diameter (m)	12.8
Max torque (N.m)	240	Tyre & Spare Tyre	195/65 R16C
Max speed (mph)	75		

*Estimated range & energy consumption under EU WLTP test standard. Actual range & energy consumption varies with conditions such as temperature, operation of air conditioner, driving mode, route conditions, battery capacity loss and loading mass.

